

Christian - Med List

Current as of October 14, 2004

78 lbs / 35.38 Kg

Drug	7:00 am	8:15 am	1:00 pm	7:00 pm	8:00 pm	Total / Daily Dose	
Valproic Acid Depakote® 250 mg / 5 ml liquid	7 ml <i>1 tsp + 2 ml</i>		6 ml <i>1 tsp + 1 ml</i>	7 ml <i>1 tsp + 2 ml</i>		20 ml	1000 mg 28.26 mg/Kg
Lamotrigine Lamictal® 25 mg / chewable tab 5 mg / chewable tab	50 mg <i>2 x 25mg tablet crushed</i>		50 mg <i>2 x 25mg tablet crushed</i>	50 mg <i>2 x 25mg tablet crushed</i>		150 mg	150 mg 4.24 mg / Kg
Keppra® 100 mg / 1 ml	.5 ml			2 ml		2.5 ml	250 mg 7.06 mg/Kg
Risperdal® Risperidone 1 mg / 1 ml	.25 ml		.25 ml PRN			.25 ml	.25 mg .007 mg/Kg
Klonopin® Clonazepam .25 mg	.125 mg			.25 mg		.25 mg	.25 mg .007 mg/Kg
Pyridoxine Hcl® Vitamin B6 50 mg / Tablet		12.5 mg <i>1/4 tablet crushed</i>	← Discontinued →			12.5 mg	12.5 mg .35 mg/Kg
Zantec® Ranitidine 15 mg / 1 ml		3.0 ml			3.0 ml	6 ml	90 mg 2.54 mg/Kg
L-Carnitine Carnitor® 100 mg / 1 ml		1.50 ml			1.50 ml	3 ml	300 mg 8.48 mg /Kg
Diastat® Diazepam Rectal Gel® 5 mg / 10 mg Syringe	PRN: 10 mg inserted in rectum (like a suppository) immediately for Grand mal or Partial Complex lasting 5 minutes or more. 5 mg booster after 5 minutes if still seizing.					10 mg	10 mg .28 mg /Kg

Administration of dosage:

Christian does not swallow or chew tablets or capsules.

- 1. We use a medicine-dispensing cup for mixing and administering the dosage.***
- 2. Crush the Lamictal tablet(s) using a pill crusher. Empty the powder into the medicine cup.***
- 3. Using the medicine dropper get the appropriate dosage of Valproic Acid and mix it with the other meds in the medicine cup.***
- 4. Add 3-4 ml of water, mix using the medicine dropper. Make certain that ALL the powder is mixed into the liquid from the cracks/seals in the bottom of the medicine cup. Once thoroughly mixed administer WITH THE DROPPER.***